



Product Showcase

Austratus Vertical



New thinking. New simplicity.

When it comes to inspiring spaces, nothing makes an impact quite like an architectural timber ceiling, wall or screen.

Colour, warmth, tone and texture – timber has a unique, sophisticated appeal.

However, the associated lead times, as well as the need for expert-installation skills, has traditionally rendered genuine timber statements out of reach for many commercial and residential projects...until now.

Introducing Austratus, a new product innovation from architectural timber specialists, Modinex.



The simplicity and convenience of the Austratus patented system

Our patented fitting system allows continuous lengths of timber to be simply and easily clipped into a suspended ceiling. It can also be screwed directly onto existing walls and ceilings.

Fit-out companies, builders and architects will agree, Austratus makes it easy to achieve brilliant results. How?

Design and Performance

Design — Suspended vertical ceiling solution, designed for quick and ease of installation


Fire rating — Varies by timber species. All Modinex timber species can achieve Group 3 for internal applications (Group 1 when treated with Fireshield). Modinex hardwood species are suitable for external applications up to BAL29. Softwood species do not meet the material requirements for BAL ratings

Sustainability — Large range of 100% plantation PEFC certified softwood species available

Timber species — Only available in Western Red Cedar, Alaskan Cedar, and Hemlock timber species

Pre-finished coatings — Available in a range of standard colours

Application — Suitable for internal and out of weather applications only





Profiles

40mm Square

Any custom lengths available from 500mm to 1000mm long.
Available with square or 10mm radius corners



Choose your finish

See Modinex website for full range of colour and coating options.

Timber Species

All our ranges of timber species are available in set length and random length. Please contact our projects team for more information.


— SOFTWOOD

Western Red Cedar, Alaskan Cedar & Hemlock are the only suitable species for 9mm thick profiles. All Softwood species can be used for 12mm thickness or greater. For external applications, please use 18mm thick profiles or greater.



Western Red Cedar

Plantation
100% PEFC Certified
Greentag Certified




Alaskan Cedar

Plantation
100% PEFC Certified



Hemlock

Plantation
100% PEFC Certified
Suitable for indoor and
out-of weather use only



Create stunning wow factor
with flexibility of style, texture,
colour, shape and species.

Talk with our design team today about how to maximise the grandeur of your space. Our extensive product range puts a wealth of inspiration at your fingertips. We can even collaborate with you to innovate custom solutions, specifically designed to bring your vision to life and elevate your space with exclusive designer appeal.



Let us help you specify your next project

Contact P—1800 156 455 E—hello@modinex.com.au

Learn more

Inspiration and product downloads
available at [modinex.com.au](https://www.modinex.com.au)

